

RETREATMENT

# HyFlex™ Remover

NEW



The essential piece for your retreatment

[remover.coltene.com](http://remover.coltene.com)

 **COLTENE**

- One file to remove the root filling material<sup>1</sup>
- Respects the root canal anatomy\*
- Efficient without any solvent\*
- Safe thanks to non-cutting tip



## ORDER INFORMATION



**30 / .07**

Maximum torque: **2.5 N.cm**

Speed of rotation: **400-800 rpm**

**HyFlex Remover, 5 pcs**

19 mm

23 mm

30 / .07 Remover File



**60023649**

**60023648**



◀ For best results complete the procedure with HyFlex EDM shaping files. You are also free to use a different file system such as HyFlex CM or system of your choice.



For more information about HyFlex, please take a look at the brochure or visit our website [hyflex.coltene.com](http://hyflex.coltene.com).

© COLTENE – [www.coltene.com](http://www.coltene.com)



**Coltene/Whaledent Ltd.**  
The President Suite  
Kendal House, Victoria Way  
Burgess Hill, West Sussex  
RH15 9NF / UK  
T +44 1444 235486  
F +44 1444 870640  
[info.uk@coltene.com](mailto:info.uk@coltene.com)

**Coltene/Whaledent AG**  
Feldwiesenstrasse 20  
9450 Altstätten / Switzerland  
T +41 71 757 5300  
F +41 71 757 5301  
[info.ch@coltene.com](mailto:info.ch@coltene.com)

**Coltene/Whaledent Inc.**  
235 Ascot Parkway  
Cuyahoga Falls, Ohio 44223 / USA  
T +1 330 916 8800  
F +1 330 916 7077  
[info.us@coltene.com](mailto:info.us@coltene.com)

\* MicroMega data, Validation report of Remover: Pr Franck Diemer, ICRE. Evaluation du One Flare en désobturation. Evaluation d'un instrument de désobturation: le Remover." 2019.10

<sup>1</sup> Certified for gutta-percha

**COLTENE**